MAZAKA
HEAVY INDUSTRY

TRUCK MOUNTED FORKLIFT
MF25D



MAZAKA
GROUP

MF25D

TRUCK MOUNTED FORKLIFT



BUILT FOR EVERY DELIVERY

COMPACT. POWERFUL. INDEPENDENT.

MF25D travels with your truck, giving you the freedom to load and unload wherever the job takes you. Its compact design, all-terrain capability and 2,500 kg lifting capacity make it a powerful solution for demanding delivery operations.

COMPACT DESIGN

Easy transportation and excellent maneuverability in confined working areas.

ALL-TERRAIN MOBILITY

3x3 drive supports confident movement on uneven outdoor working surfaces.

INDEPENDENT DELIVERY

Load and unload at the destination without relying on on-site lifting equipment.

FAST & EFFICIENT

Less waiting and handling helps improve delivery turnaround and productivity.

HIGH LOAD CAPACITY

Strong lifting performance enables efficient handling of heavy and demanding loads.

VERSATILE OPERATION

Suitable for construction, agriculture, logistics and a wide range of material-handling applications.

ENGINE	LOAD CAPACITY	LIFT HEIGHT	DRIVE WHEELS	WEIGHT
YANMAR	2500 KG	3100 MM	3X3	2340 KG

ENGINEERED AROUND THE OPERATOR

PERFORMANCE, CONTROL AND SERVICE ACCESS - DESIGNED INTO EVERY DETAIL.

MF25D

TRUCK MOUNTED FORKLIFT









FULLY ENCLOSED CABIN

Protected operator environment with clear visibility and an ergonomic control area.

EASY SERVICE ACCESS

Large service openings provide convenient access to engine, hydraulic and electrical components.

SECTORS & APPLICATIONS

ONE MACHINE. MULTIPLE INDUSTRIES. READY ANYWHERE.

MAZAKA MF25D is designed for **agriculture, construction, landscaping, recycling, industry, beverage, poultry, and solar energy applications.**
Easily carried on the back of a truck, MF25D is always ready for loading and unloading wherever the job takes you.

CONSTRUCTION



AGRICULTURE / LANDSCAPING



LOGISTICS & DISTRIBUTION



SOLAR ENERGY



TAKE YOUR FORKLIFT WITH YOU

DRIVE. UNLOAD. DELIVER.

The MAZAKA MF25D can be mounted directly to the rear of the truck for easy transportation between job sites. Arrive with your own forklift, unload independently, and get straight to work.



READY IN LESS THAN 60 SECONDS


Unload independently.
Save time. Increase productivity.




YOUR FORKLIFT, ALWAYS WITH YOU



Technical Data		
Model		MF25D
Fuel		Diesel
Seat		Yes
Capacity		2500 kg
Gravity center of the load		406 mm
Load distance	X	580 mm
Axle distance	Y	1650 mm
Weight		
Weight with cabin		2750 kg
Weight without cabin		2340 kg
Weight of forks (40 x 122 x 1200 mm)		120 kg
Wheels		
Tires type		Pneumatic
Front wheel dimensions		27x10-12
Rear wheel dimensions		27x10-12
Number of front wheels/ rear wheels		2 / 1
Hydraulic drive wheels (front/ rear)		2 / 1
Fork carriage ISO 2328 (class/form) A/B		2B
Dimensions		
Mast / fork carriage tilt forward / backward	A	7° / 7°
Height of cabin	A1	2200 mm
Height	A2	2650 mm
Length excluding fork	A3	2390mm
Overall width	A4	2350 mm
Lifting height	A5	3100 mm
Ground clearance	A6	255 mm
Maximum extension reach	A7	1000 mm
Turning radius	B	2592 mm
Front track width	B1	2350 mm
Distance between wheel arms	B2	1570 mm
Fork carriage width	B3	1100 mm
Distance between Fork	B4	1050 mm
Forks thickness/ width/ length		40 x 122 x 1200 mm
Side - shifter		75 / 75 mm
Performance		
Travel speed (laden/ unladen)		10 / 10.80 km/h
Lifting speed (laden/ unladen)		0.26 / 0.24 m/s
Lowering speed (laden/ unladen)		0.38 / 0.24 m/s
Gradeability (laden/ unladen)		31% / 32%
Acceleration time (laden/ unladen)		4.10 / 2.60 s
Service brake		Hydraulic brakes
Transmission type		Hydrostatic
Engine		
Engine		Kubota / Yanmar
Engine power		18.5 kW
Rated speed		2200 rpm
Miscellaneous		
Hydraulic working pressure for attachments		180 bar
Oil flow		44 l/min
Noise level for driver		84 dB





Optional Equipment

- Fork Length 1600 mm
- Fork Length 1800 mm
- Lift Height 3700 mm
- Lift Height 4100 mm
- 4-Way
- Wheel + Tire
- Cabin + Heater + Wiper
- Branda
- Color Difference

20.10.26 / REV. NO 01

Mazaka Factory
Mimarsinan OSB Mah. 7. Cadde No:24
Melikgazi/Kayseri/TÜRKİYE
+90 352 311 44 18 +90 533 204 41 70
info@mazaka.eu

Mazaka USA Manufacturing
2611 Andjon Drive
Dallas, TX 75220
+1 203 904 8074
america@mazaka.eu

Mazaka Europe GmbH
Industriestrasse 12-16, 42929
Wermelskirchen Germany
+90 553 468 13 24
europe@mazaka.eu

www.mazaka.eu